

# TEXTILE MANUFACTURERS

PPE | WORKWEAR | SPORTS & FASHION | CONTRACT LAUNDRY | SHOES



# CONTENTS

## 03 Textile manufacturers

- 4 Our textile manufacturers house

## 06 Labelling

- 7 Care labelling
- 8 Ecoflex, Woven labels
- 9 CT Tapes
- 11 Name labelling
- 12 Special heat-seal ink ribbons

## 13 Textile finishing

- 14 Emblems overview
- 16 FTC emblems (FT)
- 17 Multicolour emblems (MC),  
Sublimation emblems (SB)
- 18 Tex emblems (TE), Reflective material on rolls
- 19 Reflective emblems Plotter (RP),  
Reflective emblems Film (RF)
- 20 Colour-Cut Emblems (CC) , Light emblems (LE),  
Embroidered emblem (S)
- 21 Norms

## 23 Identification & RFID-Technology

- 24 Barcodes
- 25 RFID-Technology: HF
- 27 RFID-Technology: UHF

## 30 Machines for...

- 21 ... application: Trans-Press 20,  
P4, PT-Compact 2
- 32 ... printing: TT4-SXT, TT4-DL

## 34 Other

- 34 Certificates
- 35 Contacts

# TEXTILE MANUFACTURERS

Successful textile management requires perfect textile labelling. For more than 30 years THERMOTEX has been offering high-quality machines, the best equipment and excellent services. With experience, know-how and consistent quality management in accordance with DIN ISO 9001, THERMOTEX has established itself among the market leaders in the European market.

Whether its contract laundry, personal protective equipment, shoes, professional, fashion or sportswear: THERMOTEX provides you with complete system solutions with personal advice on your own premises. We introduce you to our products from the segments of labelling, finishing, identification and machines.

**THERMOTEX. The next Generation**



# OUR TEXTILE MANUFACTURERS HOUSE

## THE HOUSE WITH ITS PERSONAL SPACE

At THERMOTEX you will always find what you need; just like in your own home. In which area of our house can you see yourself? With the help of the page numbers and the corresponding icon, you can quickly find the products you are looking for. Enjoy browsing!



### WORKWEAR

#### LABELLING

- ☐ Care labelling: NT, PS, PT, Ecoflex (p.7-8)
- ☐ Woven labels (p.8)
- ☐ Name labelling (p.11)

#### TEXTILE FINISHING

- ☐ Ecoflex (p.8)
- ☐ Emblems (p.13-22)

#### IDENTIFICATION & RFID-TECHNOLOGY

- ☐ Barcodes (p.24)
- ☐ RFID-Technology: HF & UHF (p.23-29)
- ☐ paper hang tags (p.29)



### CONTRACT LAUNDRY

#### LABELLING

- ☐ Care labelling: NT, PS, PT, Ecoflex (p.7-8)
- ☐ Woven labels (p.8)
- ☐ CT2009 (p.9)
- ☐ Special heat-seal ink ribbons (p.12)

#### IDENTIFICATION & RFID-TECHNOLOGY

- ☐ RFID-Technology: HF & UHF (p.23-29)



### SPORTS & FASHION

#### LABELLING


- ☐ Care labelling: NT, PS, PT, Ecoflex (p.7-8)
- ☐ Woven labels (p.8)

#### TEXTILE FINISHING

- ☐ Ecoflex (p.8)
- ☐ Emblems (p.13-22)

#### IDENTIFICATION & RFID-TECHNOLOGY

- ☐ UHF self-adhesive labels, paper hang tags (p.28-29)



### PERSONAL PROTECTIVE EQUIPMENT

#### LABELLING


- ☐ Care labelling: NT, PS, PT, Ecoflex (p.7-8)
- ☐ Woven labels (p.8)
- ☐ CT4000 (p.9)
- ☐ Strap tape, CT tape coloured (p.10)
- ☐ Name labelling (p.11)
- ☐ Special heat-seal ink ribbons (p.12)

#### TEXTILE FINISHING


- ☐ Ecoflex (p.8)
- ☐ Emblems (p.13-22)

#### IDENTIFICATION & RFID-TECHNOLOGY

- ☐ Barcodes (p.24)
- ☐ RFID-Technology: HF & UHF (p.23-29)
- ☐ UHF self-adhesive labels, paper hang tags (p.28-29)



PPE



### SHOES

#### LABELLING

- ☐ NT (p.7)
- ☐ CT2009 (p.9)
- ☐ Strap tape (p.10)

#### TEXTILE FINISHING

- ☐ Ecoflex (p.8)
- ☐ Emblems (p.13-22)

#### IDENTIFICATION & RFID-TECHNOLOGY

- ☐ UHF self-adhesive labels (p.28)



# LABELLING

**T**extile labelling is a must in your workflow. From the care label to the name tag: The right combination of ink ribbon and material tape with the correct printer system determine the lifetime of your labelling. Therefore, rely directly on high-quality materials and machines for an optimal workflow. Your wallet will thank you for it in the long-term!

**THERMOTEX. The next Generation**

## CARE LABELLING

### MARKING TAPES AND INK RIBBONS FOR THE CLOTHING AND MANUFACTURING INDUSTRY

The perfect printing result, the highest degree of wash-resistance and resistance to abrasion – this is what the marking tapes and ink ribbons offer in combination with the appropriate printing system. The clothing manufacturing sector in particular places great demands on the labels used. **On request, we can also supply pre-printed care labels ready for sewing in!**

**OVERVIEW OF ALL COLOURS AVAILABLE ON REQUEST**

#### POLYESTER SATIN TAPE (PS)

SOFT QUALITY

#### NYLON TAFETTA TAPE (NT)

AVAILABLE IN VARIOUS QUALITIES

#### POLYESTER TAFFETA TAPE (PT)

WASH-RESISTANT, FOR SEWING IN



- ❑ available in various qualities and colours
- ❑ tested for harmful substances pursuant to Oeko-Tex Standard 100

- ❑ thin, smooth surface
- ❑ NT01 + NT41P: tested for harmful substances pursuant to Oeko-Tex Standard 100

- ❑ tapes for double-sided printing
- ❑ robust, smooth surface
- ❑ a high level of comfort
- ❑ PT01 + PT09: tested for harmful substances pursuant to Oeko-Tex Standard 100



PS tape in polo shirt



Nylon taffeta type in welder apron



Coloured PS tape in the towel

# CT-TAPE

## ECOFLEX FOR PT-COMPACT 2



- fast and very high quality labelling of textiles.
- individually designed motifs such as logos or care instructions
- multicolour, fine and freely-designed motifs possible
- transfer time approx. 2 seconds
- quality like FTC-Emblem



Further use: as textile finishing for sportswear



FOR HIGH VOLUMES



Care instructions and logo in polo shirt



Printed with the PT-Compact 2



Marking in underwear



## CT2009 SOFT, ELASTIC

- suitable for mangling: no
- without weave
- opaque, thin
- highly wash-resistant
- colour: pure white




WOHNEBENE 5  
S. Maier

ALSO AVAILABLE AS A  
SELF-ADHESIVE  
FIXTEXX 2009



PRE-CUT FORMAT in mm  
Roll length: 12,5 m, 25 m, 50 m



CONTINUOUS ROLLS in widths:  
20 mm, 30 mm, 40 mm, 50 mm, 60 mm,  
80 mm, 88 mm (further widths on request)



Marking label in the shoe



Label tray with marking labels

## WOVEN LABELS



Our woven labels are extremely robust and are available in various qualities, e.g. in polyester, taffeta, satin, etc.

- for sewing on or heat sealing
- ready-cut or on rolls
- various formats, depending on application



Manufacturer's label in a T-shirt



Fashion label in the collar of a shirt



## CT4000 FOR PPE CLOTHING



- flame-retardant
- very solid
- highly wash-resistant
- colour: warm white
- roll length: 50 m (continuous)



Flame-retardant labels in welder's gloves with manufacturer information



Labelling by wearer information



Labelling by barcode

**STRAP TAPE (GB)**  
WEATHER AND  
ABRASION-RESISTANT

**CT TAPE (COLOURED)**  
MARKING TAPE



THERMOTEX strap tape is designed for the marking of lashing straps and belts. The durable and sturdy ribbon is very resistant to UV light, weathering and abrasion.

- ☐ very robust
- ☐ extremely industrial wash resistant
- ☐ suitable for mangling: no
- ☐ with specially coated surface
- ☐ for patching

STRAP TAPE (GB)	CT TAPE	COLOUR	
GB 2006	CT 2006	white	
GB 2010	CT 2010	yellow	
GB 2011	CT 2011	light blue	
GB 2012	CT 2012	orange	
GB 2013	CT 2013	green	
GB 2014	CT 2014	red	
GB 2015	CT 2015	pink	
GB 2016	CT 2016	mint	
GB 2017	CT 2017	ochre	
GB 2018	CT 2018	rose	
GB 2019	CT 2019	black	
GB 2020	CT 2020	grey	
GB 2021	CT 2021	dark red	

Roll length 50m

Roll length 50m



CT 2010: label production with the TT4-SX



CT 2010: department labelling in the surgical gown



Webbing: labelling of a tensioning belt

# NAME LABELLING

## TO PRINT YOURSELF



Name label in polo shirt

- CT 2026**  
NON-STRETCH, DURABLE
- ☐ suitable for mangling: no
  - ☐ non-stretch, durable
  - ☐ highly resistant to industrial washing
  - ☐ colour: white



ALSO AVAILABLE AS A  
**SELF-ADHESIVE  
FIXTEXX 2026**

**CONTINUOUS ROLLS** in widths:  
40mm, 50mm, 60mm, 80mm, 88mm, 100mm  
(further widths on request)

**PRE-CUT FORMAT** Roll length 50m

Format	Quantity labels	Article no.
80 x 38mm	approx. 1.310	CV2026-80X38
80 x 45mm	approx. 1.110	CV2026-80X45
82 x 25mm	approx. 2.000	CV2026-82X25
76 x 25mm	approx. 2.000	CV2026-76X25

## TO ORDER

### NAME EMBLEMS

DIFFERENT VARIETIES AND LOW ORDER QUANTITY POSSIBLE



TYPE	COLOUR	ATTACHING	EXTRAS
Pro name labels	Single colour, black	Patching	
Tex name labels	All colours printable	Patching	Produced in digital print, flame retardant
Fixtexx name labels	Single colour, black	Patching	Self-adhesive, also available with coloured edge
Plotter name labels	Variety of standard colours available	Patching	Especially suitable for cropped name
Embroidered name labels	Variety of colours available	Patching / sewing on	Colours according to embroidery thread colour chart
Sublimation name labels	Many colours available	Patching / sewing on	With or without embroidered edge
FTC name labels	available in 8 standard colours	Patching	Especially suitable for cropped name, flame retardant

**SPECIAL HEAT-SEAL INK RIBBONS**  
FOR PT-COMPACT 1 AND PT-COMPACT 2



**WIDTHS:**  
25 mm, 30 mm, 40 mm, 50 mm, 75 mm,  
95 mm and 100 mm (others on request)

**ROLL LENGTH:**  
40 m each

	Colour	
201	white	
202	red	
203	orange	
204	yellow	
206	brown	
207	green	
208	dark blue	
209	mid-blue	
210	black	
211	grey	

- ☐ for fast, one-colour marking with cliché and heat-seal tape
- ☐ available as standard (TTHS) for cotton and blended fabrics
- ☐ washable print also suitable for the mangle
- ☐ ideal labelling solution for flat textiles, shoe soles, and so on

# FINISHING

Countless finishing options such as professional, dirt, rain, promotional, sports or casual wear require countless types of emblems. This is exactly what you will find in the THERMOTEX range: high-quality emblems for every requirement. Our experts are happy to inform you about the standards met by our emblems! Since we, as a system provider, can support you with complete solutions, you will also receive graphic services, transfer presses or the full contract heat-sealing service. Give your clothes your corporate design!

**THERMOTEX. The next Generation**

PPE



Work gloves with labelling



Property labelling of flat laundry items



Printing with special heat seal ribbon

**CLICHÉ WITH ENGRAVING OR INSERTION STRIP FOR LETTERS**



Size indication in underwear



Size information in T-shirt

# EMBLEMS

## EMBLEMS OVERVIEW



Does your emblem have to withstand certain conditions? You will find a list of all standards met by our emblems on pages 21 & 22

## TEXTILE FINISHING WITH EMBLEMS

THERMOTEX emblems stand for high-quality marking of workwear, protective clothing, rainwear, promotional clothing, sportswear and leisure clothing with your corporate design! No matter what your taste is or the area of application – THERMOTEX really spoils you for choice with its emblem portfolio.

There are 3 different types of emblems:

- Transfer: The motif is transferred directly to the textile (transferred).
- Textile: The emblems have a textile character and are completely heat-sealed onto the textile.
- Reflex: They are made of silver-reflective material and are characterised by excellent reflection values.



### FTC EMBLEMS (FT)

Highly washable premium emblem for a wide range of applications. Also ideal for stretchy fabrics, such as workwear and leisure wear.



### MULTICOLOUR EMBLEMS (MC)

Emblem for printing images and colour gradients with exact colour reproduction.



### REFLECTIVE EMBLEMS FILM (RF)

Due to the direct printing on foil, full-surface motifs are possible with the Reflex-Emblem foil. Like the Reflex-Emblem plotters, the foil also convinces with its high reflection values.



### REFLECTIVE EMBLEMS PLOTTER (RP)

The silver reflective material is suitable for simple lettering and logos. The emblem has very high reflection values – ideal for clothing of rescue services, fire brigade, police and other protective clothing (PPE).



### TEX EMBLEMS (TE)

A sturdy and very durable textile label for all clothing areas. The high opacity ensures an excellent appearance.



### SUBLIMATION EMBLEMS (SB)

An emblem produced in the sublimation process achieves flawless print and colour quality even with very thin lines and elaborate motifs.



### LIGHT EMBLEMS (LE)



### COLOUR-CUT EMBLEMS (CC)



### EMBROIDERED EMBLEMS (S)





# EMBLEMS



ALSO AVAILABLE ON A ROLL (SEE PAGE 8 „ECOFLEX“)

## FTC EMBLEMS (FT)

PREMIUM-EMBLEM: AVAILABLE IN THREE VARIANTS - STANDARD, DYE BLOCKING, FLAME RETARDANT



### STANDARD


<b>Applications</b>	T-shirts, sweatshirts, polo shirts, workwear, sports and leisure wear, softshell fabric, labelling of textiles in general
<b>Motifs</b>	cropped motifs possible (no colour gradients possible)
<b>Colour</b>	all colours according to Pantone C, HKS K, RAL colour chart
<b>Opacity</b>	high
<b>Removable</b>	no
<b>Carrier</b>	transparent film
<b>Printing technique</b>	screen printing

## DYE-BLOCKING (DB)

- ☐ emblem to avoid that the textile dyes the emblems respectively for fabrics which stain during heat sealing such as softshell

## FTC EMBLEMS FLAME RETARDANT (FH)

- ☐ workwear (heat protection)
- ☐ protective clothing (welder protection)
- ☐ safety clothing



Flame retardant emblem



Gastronomy shirt



Yoga clothes

## MULTICOLOUR EMBLEMS (MC)

EMBLEM FOR THE EXACT RE-PRODUCTION OF PRINTED IMAGES AND COLOUR GRADIENTS



<b>Applications</b>	T-shirts, sweatshirts, polo shirts, workwear, sport and leisure wear, labelling of textiles in general, for real colour gradient and images
<b>Motifs</b>	cropped motifs possible
<b>Colour</b>	all colours printable according to bitmap, also colour gradients or images
<b>Opacity</b>	very high
<b>Removable</b>	no
<b>Carrier</b>	transparent film
<b>Printing technique</b>	screen and digital printing

Available in three variants:

- ☐ Standard
- ☐ Dye-blocking: prevents sublimation of the dyes from the textile into the emblem
- ☐ Flame retardant: EN ISO 11616 : 2008



Gardener workwear

## SUBLIMATION EMBLEMS (SB)

PRICEWORTHY ALTERNATIVE TO THE STICK EMBLEMS, AVAILABLE WITH NAME IMPRINTED



<b>Application</b>	Workwear, rented workwear clothing, protective workwear, sport and leisure wear
<b>Colour</b>	All colours printable according to Bitmap, also colour gradients or images
<b>Printing technique</b>	Sublimation printing
<b>Removable</b>	yes, with a little adhesive residue

- ☐ outstanding quality of printing and colour
- ☐ highly hard-wearing
- ☐ 100% polyester

Available in 2 types:

- ☐ with embroidered edge for patching or sewing on
- ☐ without embroidered edge for patching on



Firefighter jacket with sublimation emblem

# EMBLEMS



## TEX EMBLEMS (TE) THIN, VERY ROBUST



<b>Application</b>	workwear, protective workwear clothing, leased laundry, T-shirts, sweatshirts, sport and leisure wear
<b>Motifs</b>	completely cropped motifs not possible
<b>Colour</b>	all colours printable according to bitmap, also colour gradients or images
<b>Opacity</b>	high
<b>Removable</b>	yes, with a little adhesive residue
<b>Printing technique</b>	digital printing

- ☐ thin textile label, nonstretchable, very robust
- ☐ very hard-wearing to mechanical influences



Life jacket of a shipyard

## REFLECTIVE EMBLEMS PLOTTER (RP) FOR PROTECTIVE CLOTHING AND EXCELLENT REFLECTION VALUES AS PER EN 20471



<b>Applications</b>	specially for emergency services, fire brigade, police, workwear, safetyworkwear and other protective clothing
<b>Motifs</b>	cropped motifs possible (logos, motifs, lettering)
<b>Colour</b>	single colour: silver or yellow reflective
<b>Opacity</b>	very good
<b>Carrier</b>	transparent film

Available in 4 variants:

- ☐ silver reflective / Standard (RP)
- ☐ silver reflective / 3M 5807 (RP/3M)
- ☐ silver reflective / flame retardant (RP/FH)
- ☐ yellow reflective / flame retardant (RP/GE)



Safety vest with reflective emblem

## REFLECTIVE MATERIAL ON ROLLS



The reflective material on a roll convinces with its high reflection values. It is particularly suitable for safety clothing, but can also be used on sports and leisure wear. The reflective strips are available for both heat sealing and sewing.

- ☐ complies with EN ISO 20471
- ☐ standard width: 50 mm
- ☐ other widths on request
- ☐ roll length: 50 m

## REFLECTIVE EMBLEMS FILM (RF) PRINTED REFLEX FILM



<b>Applications</b>	workwear, protective clothing, sport and leisure wear, textile advertising
<b>Colour</b>	Silver reflective background, screen printed in colour all colours according to Pantone C, HKS K, RAL colour chart
<b>Opacity</b>	very good



Workwear with logo

# EMBLEMS



Available in two variants:

- Standard: very thin and elastic film
- Dye-Blocking: very resilient, fitted with an additional barrier against dye sublimation, optimal for softshell

## COLOUR-CUT EMBLEMS (CC)

FOR SMALL QUANTITIES AND VARIOUS COLOURS

- cropped motifs possible
- very high opacity
- long-lived and excellent colour brilliance
- all colours printable, also colour gradient and pictures
- digital printing
- extremely hard-wearing and resistant to mechanical action
- non removable



Left: front | Middle: back

## LIGHT EMBLEMS (LE)

PRICE-WORTHY ALTERNATIVE TO THE FTC EMBLEM · VERY HARD-WEARING

- cropped motifs possible (no colour gradient possible)
- high opacity
- single and multicolour print (many standard colours to Pantone C, HKS K or RAL)
- on carrier paper
- screen printing
- non removable

## EMBROIDERED EMBLEMS (S)

COLOURFAST POLYESTER YARN EMBROIDERY

- excellent opacity
- colours according to embroidery thread colour chart
- removable (with minimal adhesive residue)
- raised, noble surface
- highly hard-wearing
- direct embroidery possible



FOR SEWING AND FOR HEAT SEALING

# NORMS

Here you will find a list of all standards met by our emblems.







Before using the textiles, we recommend that a risk analysis be carried out by a laboratory regarding the area of application and use in combination with an emblem or identification label.

We can arrange a corresponding offer for you.

	DIN EN ISO 11611	DIN EN ISO 11612	DIN EN ISO 14116	DIN EN 1149-T1-5	DIN IEC 61482-1-2
<b>NORMS</b>	Welding protection	Heat and flame retardancy	Protection against heat and flame, protection against flame	Electrostatic properties	Protective clothing against the thermal hazards of an electric arc
<b>EMBLEMS</b>	<p><b>FTC Emblems:</b> flame retardant (FH) + flame retardant / Dye Blocking (FH/DB)</p> <p><b>Multicolor Emblems:</b> flame retardant (MC/FH) + flame retardant / Dye Blocking (MC/FH/DB)</p> <p><b>Tex Emblems (TE)</b></p> <p><b>Reflex emblem plotter:</b> silver reflective / flame retardant (RP/FH) + yellow reflective / flame retardant (RP/GE)</p>	<p><b>FTC Emblems:</b> flame retardant (FH) + flame retardant / Dye Blocking (FH/DB)</p> <p><b>Multicolor Emblems:</b> flame retardant (MC/FH) + flame retardant / Dye Blocking (MC/FH/DB)</p> <p><b>Tex Emblems (TE)</b></p> <p><b>Reflex emblem plotter:</b> silver reflective / flame retardant (RP/FH) + yellow reflective / flame retardant (RP/GE)</p>	<p><b>FTC Emblems:</b> flame retardant (FH) + flame retardant / Dye Blocking (FH/DB)</p> <p><b>Multicolor-Emblem:</b> flame retardant (MC/FH) + flame retardant / Dye Blocking (MC/FH/DB)</p> <p><b>Tex-Emblem (TE)</b></p> <p><b>Reflex emblem plotter:</b> silver reflective / flame retardant (RP/FH) + yellow reflective / flame retardant (RP/GE)</p>	<b>All emblems</b>	<p><b>FTC Emblems:</b> flame retardant (FH) + flame retardant / Dye Blocking (FH/DB)</p> <p><b>Multicolor-Emblem:</b> flame retardant (MC/FH) + flame retardant / Dye Blocking (MC/FH/DB)</p> <p><b>Tex-Emblem (TE)</b></p> <p><b>Reflex emblem plotter:</b> silver reflective / flame retardant (RP/FH) + yellow reflective / flame retardant (RP/GE)</p>

# NORMS

We would be delighted to provide you with support and advice when choosing emblems

DIN EN 61340-5-1	DIN EN 13034	DIN EN 510	DIN EN 342	DIN EN 343	DIN EN ISO 20471
Clothing for protection of electronic devices	Protective clothing against liquid chemicals	Specification for protective clothing for use where there is a risk of entanglement with moving parts	Protective clothing: Ensembles and garments for protection against cold	Weather-protective clothing	PSA high visibility safety norm
					
All emblems	All emblems	All emblems	<p>FTC Emblems: Standard (FT) + Dye Blocking (DB) + flame retardant (FH)</p> <p>Multicolor Emblems: Standard (MC)</p>	All emblems and reflective material on rolls	<p>Reflex emblem plotter: Standard (RP) + silver reflective</p> <p>flame retardant (RP/FH) + yellow reflective</p> <p>flame retardant (RP/GE) + 3M 5807 (RP/3M)</p> <p>Reflex emblem film (RF)</p> <p>Reflective material on rolls</p>

## IDENTIFICATION & RFID-TECHNOLOGY

Organisation, administration and cleaning. Sounds like a manageable amount of work at first. But those involved know what lies behind it in the field of textile management. In order to make organisation and administration as easy and safe as possible, THERMOTEX offers individual products as well as complete solutions in the field of identification.

You want more transparency in your laundry pile? With RFID technology, information about the items of laundry such as the owner, the laundry cycle or the service life can be retrieved in real-time. As a result, you manage the life cycle of a textile as effectively as possible!

**THERMOTEX. The next Generation**

# BARCODES

## BARCODE LABELS

As unique as a fingerprint: barcodes give textiles and other articles an identity. With their help, inventory, stock utilisation and, for example, also the lifecycle of an item of laundry can be tracked and controlled precisely.

## PRINTED BARCODE LABELS AND DATA MATRIX CODE LABELS FOR HEAT SEALING

- 6, 8, 10 or 12 digits possible as standard (others on request)
- text lines can be integrated above or below the barcode
- available in various dimensions and sizes
- cut individually



Barcode label in hired occupational clothing

## SEW-ON WOVEN BARCODE LABELS



- additional text and logos can be integrated
- no changes after 100 wash cycles at 95°C in alkaline solution with a pH value of 10,5 – 11
- bleaching with all common bleaches and neutralisation in anorganic acids
- tunnel drying at 180°C
- chemical cleaning with organic solvents
- cut individually



Barcode label in safety vest

We also undertake the management of the number ranges for you



# RFID-TECHNOLOGY: HF

## TRANSPONDERS: 11 and 16 MM IN ACCORDANCE WITH DIN ISO 15693

- for the fully automatic identification of textiles
- with a unique identification number („UID“)
- contactless reading
- reading: single, pile, bulk
- for patching (with patches) or for sewing in (also additional in woven pockets)
- suitable for mangling
- resistant to industrial washing



### HF I-TRANSPONDERS Ø 11MM

Art. no. 62596

<b>Application</b>	residents' laundry, workwear, flat linen
<b>Reading</b>	single, pile
<b>Thickness</b>	2.4mm
<b>Reading distance</b>	up to 28cm
<b>Laser engraving</b>	yes customer-specific logo possible



### HF I-TRANSPONDERS Ø 16MM

Art. no. 64446

<b>Application</b>	workwear, mops/dusters, flat linen, bathrobes, towels etc.
<b>Reading</b>	single, pile, bulk, tunnel
<b>Thickness</b>	2.8mm
<b>Reading distance</b>	up to 42cm
<b>Laser engraving</b>	yes customer-specific logo possible

FOR THE HIGHEST MECHANICAL REQUIREMENTS



### HF O-TRANSPONDER Ø 16MM

Art. no. 65112

<b>Application</b>	workwear, mops/dusters, flat linen, bathrobes, towels etc.
<b>Reading</b>	single, pile, bulk, tunnel
<b>Thickness</b>	3.2mm
<b>Reading distance</b>	up to 42cm
<b>Format</b>	lenticular (rounded, soft edges)
<b>Laser engraving</b>	yes customer-specific logo possible



HF transponder is positioned



Attached with heat-seal material (PA)



HF transponder with heat-seal material (PA)

## WOVEN TRANSPONDER POCKETS



<b>Variants</b>	plain or with woven-in logo, available with or without transponder already inserted
<b>Transponder</b>	max. 16 mm
<b>Material</b>	polyester
<b>Dimensions (W x H)</b>	24 x 40 mm (standard format)

Other formats and variants on request

Art. no. 62218

## ADVANTAGES

RFID-TECHNOLOGY: HF

### Individual reading

HF technology is particularly suitable for the individual reading and recording of personal data, such as the name of the wearer, the washing requirements or the number of previous washing cycles



### Allocation made easy

The transponders find their place in various textiles such as clothing, mops or flat laundry items. Equipped in this way, everything ends up where it belongs

### HF transponders, in two sizes:

Small, medium or large: depending on the application, choose between 11 and 16 mm transponders. Each size brings with it individual benefits, such as visibility or wearing comfort.



### HF reader systems

Plug-in reader systems: plug-in and get started. They ensure trouble-free laundry sorting: The innovative reading system, consisting of reader and antenna, ensures smooth laundry detection at the highest level



### Accessories


Our accessories, e.g. transponder attachments or patch dispensers, complement our HF transponder technology



## EMBROIDERED TRANSPONDERS

The transponders are made of tried and tested materials and are suitable for heat sealing or sewing in. They are available in various sizes and variants and are suitable for standard or wet washing. THERMOTEX programmes and manages the number ranges, thus providing the greatest possible security for your laundry processes.

## F10 TRANSPONDERS - IN 4 VARIANTS



	1. F10 unprinted Art. no. 67631	2. F10 with logo Art. no. 67632	3. F10 with EPC number Art. no. 67582	4. F10 with logo and EPC number Art. no. 67633
<b>Dimensions</b>	58 x 18,5 mm · thickness: 0,5 mm, 2,5 mm in chip area			
<b>Application</b>	reading of workwear, flat textiles and contract textiles e.g. in goods receipt/shipping or inventory of cupboards/rooms			
<b>Reading</b>	bulk reading, e.g. in wire mesh carts			
<b>Reading distance</b>	up to 6 m			
<b>Use with</b>	UHF Box, Gate, Shelf, hand-held readers, Universal, Table Plus			
<b>Application</b>	sewing in / heat sealing			
<b>Characteristics</b>	plain, without optical recognition	with multi-coloured, customer-specific logo to ensure laundry is marked as customer property	EPC number permanently visually readable. Data matrix code readable with every smartphone.	EPC number permanently visually readable. Data matrix code readable with every smartphone. Customer-specific logo possible for labelling of laundry as property of the customer.



Hired vocational clothing with F10 transponder: inside on the side



Hired vocational clothing with F10 transponder: below the collar



Towel with F11 transponder

# RFID-TECHNOLOGY: UHF


## F11 TRANSPONDERS

FOR SEWING INTO THE SEAM



Art. no. 68108

- Dimensions: 70 x 11 mm · thickness: 0,5mm, 2,5mm in chip area
- bulk reading, e.g. in wire mesh carts
- up to 6m reading distance
- for sewing into the seam of a textile item
- suitable for mangling and resistant to industrial washing



F11 transponder sewn into the seam

## WOVEN TRANSPONDER POCKETS

FOR F10 TRANSPONDERS



- for sewing
- quality: taffeta
- tube woven, opening of 60 mm
- cut in hot condition
- pocket size: 35 x 80 mm


ALSO AVAILABLE WITH CUSTOMISED WOVEN LOGO OR TEXT



Art. no. 67992

## UHF SELF-ADHESIVE LABELS

- suitable for thermal transfer printing
- adhesive: permanently adhesive
- material: PET white, plain
- packaging: on rolls



Art. no. 66982



## ADVANTAGES

RFID-TECHNOLOGY: UHF

### UHF transponders

The right transponder size for every application. The UHF transponders differ not only in their size, but above all by the various possibilities for printing, such as with the F10 transponder




### Process simplification

Not only do you save time and money with our UHF systems. Integrated in your process, you benefit from error-free detection.



### UHF-BOX and GATE

They are ideal for integrating into existing conveyor systems. Reading whole packages, sacks or piles saves a lot of time



600 parts in 8.5 seconds

### Container and pile detection

UHF systems are particularly suitable for the detection of larger quantities. In less than 10 seconds, up to 600 parts can be detected at once.


### Accessories

We complete the transponder equipment with our accessories.

## PAPER HANG TAGS



- available in different widths and lengths (custom made)
- material: paper or cardboard
- price and size in self-printing using thermal transfer printers (page 32)
- attachment: staple guns, directly on the textile or through the buttonhole



Hanging items with paper hang tags



Scanning of hanging items

# ... APPLICATION

MANUFACTURED IN ACCORDANCE  
WITH THE LATEST MACHINERY  
DIRECTIVE 2006/42/EC

# MACHINES FOR ...

**H**igh-quality machines are essential in textile management. With over 30 years of experience in this area, THERMOTEX has secured a position amongst the market leaders in the European market. Consistent quality management according to DIN ISO 9001 guarantees perfect professional machines for your company! In addition, the right machine can be found for every requirement in the wide product range. In the following chapter you will get a brief insight into the THERMOTEX machine world with the bestsellers.

**THERMOTEX. The Next Generation.**

**TRANS PRESS 20**  
WITH TWO WORKING PLATES

**P4**  
FOR VOLUMINOUS TEXTILES

**PT COMPACT 2**  
SPECIALLY DESIGNED FOR  
THE USE OF ECOFLEX EMBLEMS OR  
TRANSFERS ON ROLLS



- ☐ greatest handling convenience due to an easy running, swivelling heat plate
- ☐ extra working clearance
- ☐ integrated two-hand control for highest safety
- ☐ for large volumes
- ☐ 230V, 50Hz, 750W

- ☐ oversized opening angle for maximum freedom of movement for the user
- ☐ large colour touchscreen with self-explanatory symbols
- ☐ foot switch operation
- ☐ 230V, 50Hz, 750W

- ☐ equipped with a sensor for automatic recognition of materials in sensor mode
- ☐ compact, stable
- ☐ easy to operate
- ☐ 230V, 50Hz, 550W

Width	958 mm (with lower plates)
Height	712 mm
Depth	885 mm
Space required	770 x 700 mm
Weight	110 kg
Upper plate	480 x 380 mm

Art. no. 20000

Width	200 mm
Depth	540 mm
Height	320 mm (closed)
Height	490 mm (open)
Weight	22 kg
Upper plate	150 x 115 mm
Operating pressure	4 - 5 bar


Art. no. 21900

Length	500 mm
Width	700 mm (without discs)
Width	900 mm (with discs)
Height	600 mm (with discs)
Heat plate	125 x 95 mm
Weight	approx. 35 kg
Operating pressure	3 - 8 bar

Art. no. 17000



# ... PRINTING



## TT4-SXT COLOUR TOUCHSCREEN, INTEGRATED WLAN UNIT



Even faster – even more intuitive!  
The new profitable TT4SXT (centered) is simple to operate with its colour touchscreen. Thanks to WLAN you can even use this industry-compatible, high-performance printer wirelessly.


- ☐ high-performance thermal transfer printer with special heating strip and 300 dpi resolution
- ☐ large colour touchscreen with self-explanatory symbols for intuitive operation
- ☐ internal fonts, barcodes and tutorial videos available

TT4-SX	Art. no. 21683
TT4-SXM centered	Art. no. 21728
TT4-SXT centered, with traction platen	Art. no. 21738

All versions are with cutting device.

- ☐ 32bit processor with 800 MHz clock speed and a 256 MB memory
- ☐ interfaces: slot for SD memory cards, USB host interfaces, USB 2.0, Ethernet 10/100 Base-T, RS232 C interfaces
- ☐ USB port for keyboard and scanner
- ☐ sensor for light-permeable media and reflective sensor
- ☐ particularly suitable for labels for work clothes

## TT4-DL PROFESSIONAL DEVICE - IDEAL FOR USE IN THE CLOTHING OR MANUFACTURING INDUSTRY



Professional printer with two printing units for double-sided printing, for the production of care labels, for example. The TT4DL can be integrated into existing IT systems.

- ☐ large, illuminated LCD display for 4 lines with approx. 20 characters
- ☐ interfaces: serial, USB, Ethernet 10/100Mbit
- ☐ sensor for light-permeable media and reflective sensor
- ☐ resolution: 300dpi

TT4-DL with cutting device standard	Art. no. 18836
TT4-DL with perforation cutter	Art. no. 18818
TT4-DL with perforation cutter variable	Art. no. 18819
TT4-DL high-performance cutting device & stacker	Art. no. 17281

With its high operating speed and extensive number of features, the TT4-DL is ideally suited for printing care labels, for example. Perfectly suited for use in the clothing and garment industry as the cutter-stacker cuts, stacks and counts the labels for you!

# CERTIFICATES

Quality is top priority at THERMOTEX! In order to provide our customers and resellers with a solid foundation, certifications are an indispensable part of our company. They guarantee tested quality and verifiable safety.

## ISO 9001:2015

Through consistent quality management according to DIN EN ISO 9001: 2015, THERMOTEX continues to develop in a **continuous improvement process**. The goal is to increase quality, optimise processes and avoid risks. Clearly defined corporate goals with measurable key figures serve as orientation and optimisation.



## REACH CONFORMITY

THERMOTEX attaches great importance to the protection of the environment and mankind. Therefore, we act according to the **EU Regulation 1907/2006 (REACH-VO)** of 18 December 2006 as a downstream user (producer of products). According to information from our suppliers of raw materials, there are **no substances in the materials we use from the current Candidate List (SVHC list)** at a concentration greater than 0.1% by mass.

## OEKO-TEX CERTIFICATE

The OEKO-TEX certificate is a globally recognised testing and certification system for textile products. Based on defined test criteria and limits, we test textiles with regard to **safety and constituents**.

We certify emblems and materials with OEKO-TEX to make sure there is high and effective product safety.



The following **supplies** are certified: CT 2009 ; PS-Bänder: PS08, PS09, PS10, PS11, PS15, PS16, PS17, PS22, PS23 ; PT-Bänder: PT01, PT09 ; NT-Bänder: NT01, NT41P



The following **emblems** are certified: FTC, Ecoflex, FTC/DB, MC, MC/DB, TE, SB, RF, RP, CC, CC/DB

## WASHING TESTS ACCORDING TO DIN EN ISO 15797

With the help of an **independent testing laboratory**, THERMOTEX regularly has the FTC Standard, DB Standard, Multicolor Standard and Multicolor DyeBlocking emblems tested for their **washing resistance**.

This allows us to guarantee you **hard-wearing emblems in high quality**.



## THERMOTEX & THE ENVIRONMENT

Environmental protection and sustainability are important to the THERMOTEX management and the entire workforce. Therefore, we want to give something back to the environment with our projects.

More information about the environmental projects can be found at [bit.ly/ttx\\_umweltblog](http://bit.ly/ttx_umweltblog)

## OUR SALES REPRESENTATIVE TEAM EXPERTISE RIGHT WHERE YOU NEED IT



**Harald Vomm**  
Head of sales, northern and western Germany  
42929 Wermelskirchen  
**+49 176 10064670**  
[hvomm@thermo-tex.de](mailto:hvomm@thermo-tex.de)



**Wolfgang Reckhaus**  
Sales, western Germany / Luxembourg  
48268 Greven  
**+49 176 10064671**  
[wreckhaus@thermo-tex.de](mailto:wreckhaus@thermo-tex.de)



**Boris Heck**  
Sales, western Germany / Luxembourg  
66996 Erfweiler  
**+49 176 10064690**  
[bheck@thermo-tex.de](mailto:bheck@thermo-tex.de)



**Matthias Fuhner**  
Sales, northern German  
31848 Bad Münder  
**+49 176 10064668**  
[mfuhner@thermo-tex.de](mailto:mfuhner@thermo-tex.de)



**Enrico Wenzel**  
Sales, eastern German  
04720 Döbeln  
**+49 176 10064669**  
[ewenzel@thermo-tex.de](mailto:ewenzel@thermo-tex.de)



**Richard Biele**  
Head of sales, Bavaria  
86485 Biberbach  
**+49 176 10064664**  
[rbiele@thermo-tex.de](mailto:rbiele@thermo-tex.de)



**Marco Adelhardt**  
Sales, northern Bavaria  
90408 Nürnberg  
**+49 176 10064666**  
[madelhardt@thermo-tex.de](mailto:madelhardt@thermo-tex.de)



**Stefan Burgbacher**  
Head of sales, south  
76307 Karlsbad  
**+49 176 10064665**  
[sburgbacher@thermo-tex.de](mailto:sburgbacher@thermo-tex.de)



**Roland Estler**  
Sales, south-western Germany / northern Switzerland  
77656 Offenburg  
**+49 176 10064667**  
[restler@thermo-tex.de](mailto:restler@thermo-tex.de)



**Joel Loiseau**  
Head of sales, France and Belgium  
92300 Levallois-Perret  
**+33 6 89 11 40 12**  
[jloiseau@thermo-tex.fr](mailto:jloiseau@thermo-tex.fr)



**Grégory Lhomme**  
Sales, eastern France  
57050 Longeville-lès-Metz  
**+33 6 75 16 62 68**  
[glhomme@thermo-tex.fr](mailto:glhomme@thermo-tex.fr)

**YOUR DIRECT ON-SITE CONTACT PARTNER**

Your direct sales contact partner is always close by, provides consultancy on your premises and trains your employees.



**Oscar Ferrario**  
Head of sales, Switzerland and northern Italy  
5406 Rütihof  
**+41 76 371 25 30**  
[oferrario@thermo-tex.ch](mailto:oferrario@thermo-tex.ch)



**Harald Tatzler**  
Head of sales, Austria, South Tirol, Bosnia-Herzegovina, Czech Republic, Hungary, Croatia, Romania, Slovakia, Slovenia  
2214 Auersthal  
**+43 664 2537830**  
[htatzler@thermo-tex.de](mailto:htatzler@thermo-tex.de)



**Giovanni Ferrovia**  
Head of sales, International  
77746 Schutterwald  
**+49 781 9616814**  
**+49 176 10064682**  
[gferrovia@thermo-tex.de](mailto:gferrovia@thermo-tex.de)

**You don't have a contact partner yet?**

**THERMOTEX NAGEL GmbH**  
Phone +49 781 9616-0  
Fax +49 781 9616-50  
Schutterstraße 14  
77746 Schutterwald / D  
[info@thermo-tex.co.uk](mailto:info@thermo-tex.co.uk)

**THERMOTEX EUROPE AG**  
Phone +41 61 7519-100  
Fax +41 61 7519-101  
Langenhagstrasse 13  
4147 Aesch / CH  
[info@thermo-tex.ch](mailto:info@thermo-tex.ch)

**We're looking forward  
to your call!**

**THERMOTEX NAGEL GmbH**

Phone +49 781 9616-0

Fax +49 781 9616-50

Schutterstraße 14

77746 Schutterwald / D

[www.thermo-tex.co.uk](http://www.thermo-tex.co.uk)

[facebook.com/thermotexnagel](https://facebook.com/thermotexnagel)

**THERMOTEX EUROPE AG**

Phone +41 61 7519-100

Fax +41 61 7519-101

Langenhagstrasse 13

4147 Aesch / CH

[www.thermo-tex.ch](http://www.thermo-tex.ch)