



 **Textile printers**



# Textile printers

With the versatile textile printers, we offer functional solutions for heat-sealing and printing with cliché and heat-seal ink ribbon to high specialized and professional equipment for heat sealing emblems and transfers on roll. These powerful machines are ideally suited for rapid identification of large quantities with a common design.

## Your benefits

- ✓ fast heating of the machine enables immediate start of work
- ✓ easily exchangeable lower plates – no tools required
- ✓ automatic counter (accurate recording of hours possible by piece counter)
- ✓ lower plate moving through uniform pressure distribution for optimum print results
- ✓ linear guidance of the head ensures a very precise pressure result in the transfer of the emblems
- ✓ simplified operations by foot switch operation and microprocessor control
- ✓ machines are very compact and space-saving
- ✓ by adjusting the opening and closing speed of more effective work possible
- ✓ manufactured according to the latest Machinery Directives means safety in the process



## PT-Compact 1

### Technical data:

230 V, 50 Hz, 550 W	
Length:	500 mm
Width:	450 mm
Height:	500 mm
Upper plate:	125 x 95 mm
Weight:	ca. 32 kg
Working pressure:	3 - 8 bar

- ✓ highly functional, compact, stable, easy to use
- ✓ electronic control
- ✓ specially designed for using clichés and heat-seal ink ribbon, e.g. very well suited for identification flatwork
- ✓ very fast transmission time (0.5 - 1.5 sec)

Article No. 16990



Laserpointer

### Optional for both machines:

- ✓ integrated laser pointer for accurate placement of the logo  
**Article No. 17474**
- ✓ frame for regulation of the working height  
**Article No. 17510**



## PT-Compact 2

### Technical data:

230 V, 50 Hz, 550 W	
Length:	500 mm
Width:	700 (without discs)
Width:	900 mm (with discs)
Height:	600 mm (with discs)
Upper plate:	125 x 95 mm
Weight:	approx. 35 kg
Working pressure:	3 - 8 bar

- ✓ designed specifically for the use of Ecoflex emblems or transfers on roll
- ✓ equipped with a sensor for automatic material detection
- ✓ compact, stable, easy to handle
- ✓ specially designed for manufacture of ready-made clothing

Article No. 17000






Ecoflex



Heat-seal ink ribbons



Transfers on roll

## Ecoflex (for PT-Compact 2)

- ✓ Ecoflex emblems allow extremely fast and very high-quality labeling of textiles
- ✓ individual motifs such as logos or care labels
- ✓ **multicoloured motifs** and even cropped motifs possible
- ✓ transfertime approx. 2 seconds

- ✓ **ideal for large quantities**
- ✓ **perfect marking solution for the ready-made clothing sector: lingerie, promotion- and leisurewear, shoes, deessou, gloves and other textile articles**



## Heat-seal ink ribbons

(for PT-Compact 1 and PT-Compact 2)

- ✓ for fast single **coloured marking** using cliché and heat-seal ink ribbon
- ✓ available as standard (TTHS) for cotton and blended fabrics
- ✓ colour-No. TTHS: white (201), red (202), orange (203), yellow (204), brown (206), green (207), dark blue (208), medium blue (209), black (210), grey (211)
- ✓ widths: 25, 30, 40, 50, 75, 95 and 100 mm (other formats on request)
- ✓ rolls each 40 m long
- ✓ prints are extremely colourfast and can also be mangled
- ✓ super value for money
- ✓ **ideal marking solution for linen, insoles and more**

## Transfers on roll

(for PT-Compact 2)

- ✓ very fast transfer time (approx. 1.5 - 5 sec.)
- ✓ super value for money
- ✓ **multicoloured motifs** possible
- ✓ tape with black mark/register markers for use in scanning mode
- ✓ excellent transfer quality
- ✓ extremely wash resistant up to 95 °C
- ✓ **for fast, reliable property marking and care instruction marking for pale-coloured textiles in the ready-made clothing sector**







# Accessories

## Clichés

- ✓ individual clichés with or without logo
- ✓ magnesium production / aluminium alloy engraved or brass milled
- ✓ cliché with insert bars for creating individual texts in various versions, see below

### Type (Font height / orientation)

Font height 3 mm / lengthwise or crosswise

Font height 4 mm / lengthwise or crosswise

Font height 6 mm / lengthwise or crosswise

Font height 10 mm / lengthwise or crosswise



## Accessories for insert bars

- ✓ for creating individual texts
- ✓ available in various sizes
- ✓ letters and figures CNC milled



Separate letters / figures		Locking device		Set of figures		Type case	
Art. No.	Font height / type	Art. No.	Font height	Art. No.	Font height / type	Art. No.	Font height / type
16745	3 mm / brass	17230	3 mm	16741	3 mm / brass	16849	3 mm / brass
16746	4 mm / brass	17230	4 mm	16742	4 mm / brass	16850	4 mm / brass
16747	6 mm / magnesium	17231	6 mm	16743	6 mm / magnesium	16851	6 mm / magnesium
16748	10 mm / magnesium	17232	10 mm	16744	10 mm / magnesium	16852	10 mm / magnesium

## Plates for printing and heat-sealing

Plates for printing		Rubber pad		Plates for heat-sealing		Silicone pad	
Art. No.	Format	Art. No.	Format	Art. No.	Format	Art. No.	Format
14317	110 x 30 mm	16517	110 x 30 mm	14159	110 x 30 mm	10403	110 x 30 mm
15108	110 x 60 mm	15752	110 x 60 mm	12853	110 x 60 mm	13503	110 x 60 mm
16484	120 x 90 mm (standard)	16581	120 x 90 mm	13811	120 x 90 mm	10031	120 x 90 mm
13967	140 x 100 mm	14157	140 x 100 mm				

## Cleaning – Service

The servicing kit for heat-seal machines consists of cleaning paste, temperature measuring strips, self-adhesive Teflon fabric, silicone pad for the lower plate and a special silicone glue.

Servicing kit	
Art. No.	
	52797

[www.thermo-tex.de](http://www.thermo-tex.de)

ThermoTex Nagel GmbH | Schutterstraße 14  
77746 Schutterwald | GERMANY  
Phone +49 781 9616-0 | Fax +49 781 9616-50  
info@thermo-tex.de | [www.thermo-tex.de](http://www.thermo-tex.de)

ThermoTex Europe AG | Langenhagstrasse 13  
4147 Aesch | SWITZERLAND  
Phone +41 61 751 91 00 | Fax +41 61 751 91 01  
info@thermo-tex.ch | [www.thermo-tex.ch](http://www.thermo-tex.ch)