


EMBLENS AND TRANSFER PRESSES FOR EVERY USE



ermo-



GARTENWER

VERK

GARTEN

EMBLEMS

OUR EMBLEMS ARE A PROMISE

THERMOTEX emblems stand for high-quality marking of workwear, protective clothing, rainwear and promotional, sport and leisure clothing with your own corporate design! No matter what your taste or the area of application – you are spoilt for choice with the THERMOTEX emblem portfolio.

EMBLEMS / TRANSFERS

The logos are directly transferred onto the textile. It is usually produced as a transfer without background – but also possible with background colour, it depends on the motif.



FTC EMBLEMS FLAME RETARDANT (FH)

- iii workwear (heat protection)
- iii protective clothing
 - (welder protection)
- Safety clothing





PREMIUM-EMBLEM: AVAILABLE IN THREE VARIANTS - STANDARD, DYE-BLOCKING, FLAME RETARDANT



STANDARD

Applications	t-shirts, sweat-shirts, polo-shirts, workwear, sports and leisure wear, softshell
Motifs	cropped motifs possible (no colour gradient possible)
Colour	all colours as per Pantone C, HKS K, RAL colour chart
Opacity	high
Removable	NO
Carrier	transparent film
Printing technique	screen printing

DYE-BLOCKING EMBLEMS (DB)

emblem to avoid that the textile dyes the emblems respectively for fabrics which stain during heat sealing such as softshell

Standard

Dye-Blocking





EFFECT EMBLEMS (EE)

Are you looking for something special for your design? Something that specifically emphasises your charm and your charisma? Our effect emblems always produce an eye-catcher!

REFLEX

- :::: reflective motifs
- E FTC quality
- iii not according to EN ISO 20471



FLUORESCENT COLOURS

- 🔛 day glow colours in red, orange, green and yellow
- 💠 strong illuminous effect in black light
- iii especially suited to design effects






Applications	t-shirts, sweat-shirts, polo-shirts, workwear, sports and leisure wear, softs- hell, for real colour gradient and images
Motifs	cropped motifs possible
Colour	according to Bitmap, all colours print- able, also colour gradient and pictures
Opacity	very high
Removable	NO
Carrier	transparent film
Printing technique	screen and digital printing

Available in 3 variants:

- 🖽 Standard
- Elame-retardant: according to EN ISO 11612 : 2008
- Dye-Blocking:
 with an additional barrier against dye sublimation





COLOR-CUT EMBLEMS (CC)

FOR SMALL QUANTITIES AND VARIOUS COLOURS · OPTIMAL FOR SOFTSHELL (DB VARIANT)

CONFIDENCE IN TEXTLES STANDARD 100 S10-1071 HOHENSTEIN HTTI Tested for harmful substances. www.oeko-tex.com/standard100

OEKO-TEX®

Applications	t-shirts, sweat-shirts, sports and leisure wear, workwear, labelling of textiles in general
Motifs	cropped motifs possible
Colour	according to Bitmap, all colours print- able, also colour gradient and pictures
Opacity	very high
Removable	no
Carrier	transparent, adhesive film for better placement
Printing technique	digital printing

PROPERTIES

- iii long-lived and excellent colour brilliance
- :::: extremely hard-wearing and resistant to
- mechanical action

Available in 2 variants:

- Standard: very thin and elastic film
- E Dye-Blocking: very resilient, fitted with an additional barrier against dye sublimation, optimal for softshell

LIGHT EMBLEMS (LE)

PRICE ALTERNATIVE TO THE FTC EMBLEM · VERY DURABLE

Applications	workwear, protective clothing,	
	t-shirts, sweat-shirts, leisurewear,	
	labelling of textiles in general	
Motifs	cropped motifs possible	
	(no colour gradient possible)	
Colour	single-colour and multicolour prints,	
	many standard colours as per	
	Pantone C, HKS K, RAL colour chart	
Opacity	high	
Removable	ΠΟ	
Carrier	paper	
Printing technique	screen printing	



left: front right: back



EMBLEMS WITH TEXTILE SURFACE

This kind of emblems have a textile surface and they will be completely applied on the fabric.

TEX EMBLEMS (TE)

MORE TEXTILE-LIKE LOOK THAN THE DIGITAL EMBLEM · VERY ROBUST





Applications	workwear, protective clothing, leasing laundry items, t-shirts, sweat-shirts, sports and leisure wear
Motifs	completely cropped motifs not possible
Colour	according to Bitmap, all colours print- able, also colour gradient and pictures
Opacity	high
Removable	yes, with light glue residues
Printing technique	digital printing

PROPERTIES

- thin textile label, nonstretchable, very robust
- influences

FLAME RETARDANT

iii protective clothing (welder protection)

🔛 workwear (heat protection)



safety clothing



Our specialists will advise you which badges are suitable for your clothes! Contact emblem center: grafik@thermo-tex.de



Available in 3 variants:

- CT 2009 very thin, slightly stretchable film, very suitable for t-shirts, sweat-shirts, etc., can not be removed
- **CT 2026** thin textile label, non-stretchable, very robust
- 🕮 Fixtexx thin textile label with additional glue for fixing, nonstretchable, very robust

BRILLANT EMBLEMS (B, BG, BS)

TEXTILE SURFACE FROM BLENDED FABRICS

Applications	workwear, protective work clothing, leasing laundry items
Colour	single-colour and multicolour prints, printing of colour gradients (screen printing) possible, colours as per Pantone U, HKS N or RAL colour chart
Opacity	very high
Removable	yes (with glue residues)
Printing technique	screen printing

PROPERTIES

- iii vibrant printing colours
- 💠 can be ironed
- iiii available as self-adhesive variant







Does your emblem have to withstand **certain conditions**? Here you will find a list of all **standards** that are met by our emblems: www.thermo-tex.co.uk/products/emblems-norms



REFLEX EMBLEM PLOTTER (RP)

FOR PROTECTIVE CLOTHING AND EXCELLENT REFLECTION VALUES AS PER EN 20471

Applications	specially for emergency services, fire brigade, police, workwear, safety workwear and other protective clothing
Motifs	cropped motifs possible (logos, motifs, lettering)
Colour	single-colour: reflective silver or yellow
Opacity	very high
Carrier	transparent film

OEKO-TEX® CONTIDENCE IN TEXTILES STANDARD 100 S10-1071 HOHENSTEIN HTTI THE AND THANKA SUBMARY SUBARY SUBARY SUBMARY SUBMARY SUBMARY SUBARY SUBARY



THW

Available in 4 variants:

- iii silver reflective / standard (RP)
- iiii silver reflective/3M 5807 (RP/3M)
- Silver reflective / flame retardant (RP/FH)
- iiii yellow reflective / flame retardant (RP/GE)

Only applies for flame retardant emblems





EMBLEMS



EMBROIDERED EMBLEMS (S)

COLOURFAST POLYESTER YARN EMBROIDERY

Applications	workwear, hired workwear, sports and leisure wear
Colour	colours according to embroidery yarn colour chart
Opacity	excellent
Removable	yes, with light glue residues

- iii direct embroidery possible
- iii for sewing and for heat sealing
- El raised, noble surface
- E highly hard-wearing

A. Griesmann

E. Gallotta

iii also possible with Nomex yarn (for protective - and flame protective clothing)

NAME LABELS

DIFFERENT VARIETIES AND LOW ORDER QUANTITY POSSIBLE

Kathrine

			- united
Variants	Colour	Fitting	Extra
Profi name labels	single-coloured black	for heat sealing	
Tex name labels	all colours printable	for heat sealing	produced in digital printing
Fixtexx name labels	single-coloured black	for heat sealing	self-adhesive, also available with coloured edge
Plotter name labels	available in different standard colours	for heat sealing	specially suitable for cropped signatures
Embroidered name labels	available in different colours	for heat sealing / sewing	yarn colour according to colour chart
Sublimation name labels	all colours printable	for heat sealing / sewing	with or without embroidered edges
FTC name labels	available in 8 standard colours	for heat sealing	specially suitable for cropped signatures

Patrick Bols

Schwendemann M

EMBLEMS: CONTACT

YOUR CONTACT PARTNERS

you in the selection of your emblem!

Our emblem assortment has the right emblem for every requirement! We are happy to advise



SANDRA HUMMEL Head of Emblem Center **\$** +49 781 9616-24 ≤ shummel@thermo-tex.de



LINDA HUBER In-house sale Sales area: Germany 📞 +49 781 9616-852 ₩ Ihuber@thermo-tex.de



ANGELIKA LIEDER In-house sale & graphic design Sales area: Germany 📞 +49 781 9616-11

⊠ alieder@thermo-tex.de



JAQUELINE STRAUß Team Leader, in-house sale & graphic design Sales area: Germany 📞 +49 781 9616-58



CORDULA VIAN In-house sale Sales area: Germany & Switzerland

🔀 cvian@thermo-tex.de



JULIA DREXLER Graphic design **&** +49 781 9616-645 idrexler@thermo-tex.de j



JENS VETTER Graphic design 📞 +49 781 9616-46 🔀 jvetter@thermo-tex.de

Kleeblatt



SONJA DENZER In-house sale Sales area: Germany & international

\$ +49 781 9616-158 ≤ sdenzer@thermo-tex.de



PATRICK BUß Graphic design 📞 +49 781 9616-91 🔀 pbuss@thermo-tex.de



istrauss@thermo-tex.de



TRANSFER PRESSES

This is what awaits you:

- iii ideal solution for garment manufacturer and designers for the sportswear and work wear
- two large working stations for efficient and quick working

TRANS PRESS 20

WITH TWO WORKING PLATES

- ille ideal for coping with large working volumes
- convenient preparation of textiles for the heat sealing process

TRANS PRESS 21 WITH ONE WORKING PLATE



 Image: Connection: 230 V, 50 Hz, 2000 W

 Image: Width: 958 mm (with lower plates)

 Image: Height: 712 mm

- III Deepness: 885 mm
- Space required: 770 x 700 mm
- III Size of upper plate: 480 x 380 mm
- 🛄 Weight: 110 kg

Trans Press 20

Art. no. 20000

Your benefits

- greatest handling convenience due to an easy running, swivelling heat plate
- extra working clearance (approx. 60 mm space between heat sealing and upper plate)
- iiii modern display for selection of language, working temperature (from 80 to 220 °C), pressing time (variable from 0 to 999,9 sec.) and setting of various parameters on three practical function keys allows for quick and easy operation
- iiii integrated two-hand control for highest safety
- steady-going pressure adjustment and very even heat distribution

:::: Connection: 230 V, 50 Hz, 2000 W
 :::: Width: 774 mm
 :::: Height: 712 mm
 :::: Deepness: 835 mm
 :::: Space required: 770 x 700 mm
 :::: Size of upper plate: 480 x 380 mm
 :::: Weight: 105 kg

Trans Press 21

Art. no. 19999

- simple and convenient replacement of different heat seal plates no tools required
- iii integrated safety mechanism by electronic heat seal release and automatic fault message: provides increased safety, prevents incorrect heat sealing
- iii maximum safety in the working process by complying with the latest equipment guidelines
- iiii simple replacement of the teflon on the hotplate (teflon fixed outside of the heat pack for a fast changeover)

THERE'S SOMETHING FOR EVERYONE

From the first-class manual presses for daily use, through to pneumatic presses ffor professionals - you will find that we offer transfer presses for every use. The THERMOTEX transfer presses are the ideal solution for high-quality, fast and comfortable marking of professional and protective clothing, sportswear, leisure and promotion wear.



- Ilarge work surface (in horizontal or vertical format)
- ideal for transfer printing on large-format textiles
- also available with self-opening mechanism (Trans Press 2-S)

Connection: 230 V, 50 Hz, 2000 W Width: 512 mm Height, when open: 880 mm Deepness: 830 mm Space required: 600 x 600 mm Size of upper plate: 480 x 380 mm Weight: 47 kg

Trans Press 1-S

Heat sealing surface (vertical)	Art. no. 20048
Heat sealing surface (horizontal)	Art. no. 20049

Trans Press 2-S (with self-opening mechanism)

Heat sealing surface (vertical)	Art. no. 20002
Heat sealing surface (horizontal)	Art. no. 20001

- iii handy format
- 💠 less weight
- Smaller upper plate

Connection: 230 V, 50 Hz, 2000 W Width: 512 mm Height, when open: 830 mm Deepness: 800 mm Space required: 600 x 600 mm Size of upper plate: 380 x 300 mm Weight: 40 kg

Trans Press mini Heat sealing surface (horizontal)

Art. no. 19998



MORE INFO:

TRANSFER PRESSES & ACCESSORIES

BETA CAP PRESS

IDEAL FOR PRINTING ON HATS AND CAPS

LOWER PLATE-ACCESSORIES

LOWER PLATE WITH SILICONE /NOMEX
 SILICONE PAD
 TEFLON
 NOMEX COVER



Connection: 230 V, 50 Hz, 500 W
 Width: 280 mm
 Height, when open: 800 mm
 Height, when closed: 430 mm
 Deepness: 520 mm
 Space required: 280 x 470 x 730 mm
 Compression surface: 150 x 90 mm
 Weight: 15 kg

Beta Cap Press

Art. no. 15826

- iii technologically advanced and top quality handoperated transfer press
- iii compact and easy to handle, therefore ready for use everywhere
- large opening angle ensures there is plenty of working clearance
- special locking mechanism to hold cap in position during transfer

LOWER PLATE WITH SILICONE / NOMEX (1)

Type of machine	Art. no.	Size in mm
1-S · 2-S 20 · 21 · mini	15290	150 x 150
	15311	380 x 180
	20016	380 x 300
1-S · 2-S 20 · 21	19961	480 x 380

SILICONE PAD (2)

Type of machine	Art. no.	Size in mm
1-S · 2-S 20 · 21	20017	480 x 380
	15336	380 x 180
	10335	150 x 150
mini	20018	380 x 300

TEFLON (3)

Type of machine	Art. no.	Size in mm
1-S · 2-S	19496	490 x 463
20 · 21	19497	390 x 380

NOMEX COVER (4)

Type of machine	Art. no.	Size in mm	
1-S · 2-S 20 · 21	13450	500 x 400	
	12476	380 x 180	
	15171	150 x 150	

ACCESSORIES

LASER UNIT

.... reversible





Art. no. 20268

MOUNTING- AND POSITIONING GUIDE

- iii movable on the machine by 90° or 180°
- E existing lateral scaling





Art. no. 20431

LOWER PLATE IN T-FORM

e.g. Polo-shirts

🔛 size: 120 x 450 mm



Art. no. 20408

TEFLON PLATE

🔛 suitable for flattening of seams



Size: 150 x 150mm Art. no. 18619 Size: 200 x 300mm Art. no. 18616 Size: 400 x 300mm Art. no. 18877



DIRECT PRINTING / DIRECT EMBROIDERY / SUBCONTRACTING YOUR WORRY-FREE PACKAGE



To ensure you receive your employee clothing without worry: we patch your emblems onto the textiles!

At customer's request: iii patching iii direct printing or embroidery iii use of your own textiles or textiles from our portfolio



Relax! We will do the patching for you!

We`re looking forward to your call!

THERMOTEX NAGEL GmbH

Phone +49 781 9616-0 Fax +49 781 9616-50 Schutterstraße 14 77746 Schutterwald / D www.thermo-tex.co.uk facebook.com/thermotexnagel

